

Altitude

Customer:

The Hemp Doctor

Address:

118 Ewart Pl.

Mooresville, NC 28177

Sample ID:

10pc, 60mg D8 Cosmic Ring

Matrix:

Edible

Labnumber: 21J0055-04

Total mass or volume per unit (g or mL): 9.1474

## Cannabinoid Profile

Test Conditions: 19°C Extraction Date(s)

Extraction Technician: SH

Analytical Chemist: SH

10/7/2021


Date(s)

10/7/2021

Analytical Chemist. 3H			10///202	10///2021
Cannabinoids (HPLC)		Results		
	LOD (mg/g)	%	mg/g	mg/Gummy
Cannabidivarin (CBDV)	<0.070			
Cannabidiolic Acid (CBD-A)	<0.070			
Cannabigerolic Acid (CBG-A)	<0.070			
Cannabigerol (CBG)	<0.070			
Cannabidiol (CBD)	<0.070			
Tetrahydrocannabivarin (THCV)	<0.070			
Cannabinol (CBN)	<0.070			
Cannabichromene (CBC)	<0.070			
delta 9-Tetrahydrocannabinol (THC)		0.08	0.833	7.62
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.10			
delta 8-Tetrahydrocannabinol		0.59	5.87	53.7
(6aR,9S)-delta-10-THC	<0.10			
(6aR,9R)-delta-10-THC	<0.10			
Cannabinoids Total		%		mg/g
Max Active THC (delta-9-tetrahydrocannabinol)		0.08		0.83
Max Active CBD		0.00		0.00
T.Active Cannabinoids		0.08		0.83
Total Cannabinoids		0.67		6.70
Following USDA guidelines on uncertainty. Altitude Consulting	s uncertainty is calculate	ed to be +/- 2% for al	Leannahinoids	using a coverage

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 2% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.

Blank results indicate the compound was below the limit of detection.



Gary Brook - Laboratory Director - 10/8/2021

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values.

Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO

17025 laboratories.