



Customer:

The Hemp Doctor

Mooresville, NC 28177

Address:

118 Ewart Pl.

Sample ID:

50mg Full Spectrum Softgels

Matrix:

Capsule

Labnumber:

21J0055-14

Total mass or volume per unit (g or mL): .8401

Cannabinoid Profile

 Test Conditions: 19°C
 Extraction
 Analysis


 Extraction Technician: SH
 Date(s)
 Date(s)

 Analytical Chemist: CB
 10/7/2021
 10/7/2021

			10///202	10///2021
Cannabinoids (HPLC)			Results	
	LOD (mg/g)	%	mg/g	mg/Softgel
Cannabidivarin (CBDV)		0.04	0.357	0.300
Cannabidiolic Acid (CBD-A)	<0.020			
Cannabigerolic Acid (CBG-A)	<0.020			
Cannabigerol (CBG)		0.07	0.711	0.598
Cannabidiol (CBD)		5.82	58.2	48.9
Tetrahydrocannabivarin (THCV)	<0.020			
Cannabinol (CBN)		0.01	0.146	0.123
Cannabichromene (CBC)		0.35	3.49	2.93
delta 9-Tetrahydrocannabinol (THC)		0.15	1.55	1.30
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.050			
delta 8-Tetrahydrocannabinol	<0.020			
(6aR,9S)-delta-10-THC	<0.050			
(6aR,9R)-delta-10-THC	< 0.050			
Cannabinoids Total		%		mg/g
Max Active THC (delta-9-tetrahydrocannabinol)		0.16		1.55
Max Active CBD		5.82		58.20
T.Active Cannabinoids		6.41		64.10
Total Cannabinoids		6.45		64.50
Following USDA guidelines on uncertainty. Altitude Consulting	's uncertainty is calculated	to bo +/ 20/ for all	cannahinaida	sing a sources

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 2% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.

Blank results indicate the compound was below the limit of detection.





Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.

50mg Full Spect.