

CERTIFICATE OF ANALYSIS



Customer: The Hemp Doctor
510 River Highway, Suite 16
Mooresville NC 28117

Batch #: 1
Laboratory Number: ATL-10008

Report Issue Date: 11/04/2022

Order Date: 10/26/2022

Analysis Date: 11/02/2022

Sample Description:

D8, D9, HHC, HHCP Distillate

Unit Weight: 1g / Distillate



Extraction Technician: LL

Analytical Chemist: LL

Hernan Prieto

Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results (mg/g)	%
CBDV-A	<0.06	0	0
CBDV	<0.03	0	0
CBD-A	<0.03	0	0
CBG-A	<0.03	0	0
CBG	<0.02	0	0
CBD	<0.01	0	0
THCV	<0.01	0	0

Analyte	LOQ (mg/g)	Results (mg/g)	%
THCV-A	<0.06	0	0
CBN	<0.03	155.69	15.57
D9-THC	<0.03	0	0
D8-THC	<0.03	449.86	44.99
9R-D10-THC	<0.02	0	0
9S-D10-THC	<0.02	0	0
9R-HHC	<0.01	250.93	25.09

Analyte	LOQ (mg/g)	Results (mg/g)	%
9S-HHC	<0.01	37.44	3.74
CBC	<0.06	0	0
CBC-A	<0.03	0	0
THC-A	<0.03	0	0
9R-HHCP	<0.03	3.89	0.39
9S-HHCP	<0.02	4.78	0.48

Max Active THC	mg/g	%
	0	0
Max Active CBD	mg/g	%
	0	0

Total Active Cannabinoids	mg/g	%
	902.59	90.26
Total Cannabinoids	mg/g	%
	902.59	90.26

NOTES

[Empty box for notes]

Cannabidiol (CBD), Cannabidiolol (CBDA), Cannabigerol (CBG), Cannabigerolol (CBGA), Cannabidiololol (CBDVA), Cannabidiolololol (CBDV), Tetrahydrocannabinol (THC), Tetrahydrocannabinolol (THCA), Tetrahydrocannabinololol (THCV), Tetrahydrocannabinolololol (THCVA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), 9S-Hexahydrocannabinol (9S-HHC), 9R-Hexahydrocannabinol (9R-HHC), Cannabichromene (CBC), Cannabichromenol (CBCA), Tetrahydrocannabinololololol (THCVA), Delta-9-Tetrahydrocannabinololololol (D9-THCPO), Delta-8-Tetrahydrocannabinolololololol (D8-THCPO)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

