

Prepared for:
The Hemp Doctor
163 McKenzie Rd
Mooreville, NC US 28117


50mg Delta 8 + 15mg Delta 9 Rings WATERMELON


Batch ID or Lot Number: KN116325	Test: Potency	Reported: 20Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000249453	Started: 19Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.049	0.163	<LOQ	<LOQ	# of Servings = 1, Sample Weight=10.066g
Cannabichromenic Acid (CBCA)	0.045	0.149	ND	ND	
Cannabidiol (CBD)	0.154	0.408	0.590	0.10	
Cannabidiolic Acid (CBDA)	0.158	0.419	ND	ND	
Cannabidivarin (CBDV)	0.036	0.097	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.066	0.175	ND	ND	
Cannabigerol (CBG)	0.028	0.092	ND	ND	
Cannabigerolic Acid (CBGA)	0.117	0.387	ND	ND	
Cannabinol (CBN)	0.036	0.121	0.200	0.00	
Cannabinolic Acid (CBNA)	0.080	0.264	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.139	0.461	46.510	4.60	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.126	0.418	25.530	2.50	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.112	0.371	ND	ND	
Tetrahydrocannabivarin (THCV)	0.025	0.084	0.120	0.00	
Tetrahydrocannabivarinic Acid (THCVA)	0.099	0.327	ND	ND	
Total Cannabinoids			72.950	7.20	
Total Potential THC			25.530	2.50	
Total Potential CBD			0.590	0.10	

Final Approval


PREPARED BY / DATE
Sam Smith
20Jul2023
02:21:00 PM MDT


APPROVED BY / DATE
Karen Winternheimer
20Jul2023
02:41:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/da2a28ce-fa4f-4084-94e1-370644310b14>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
da2a28cefa4f408494e1370644310b14.1